

2007 Cottonwood River Watershed Summary (29)

Annual Crop	Total Points	Conservation Tillage (greater than 30% residue)			=	Total Conservation Tillage	Other Tillage Practices	
		No-Till	Ridge-Till	Mulch-Till			(15-30% residue) Reduce-Till	(0-15% residue) Intensive-Till
Corn	514	4	0	207	211	178	125	
Small Grain (Spring-Seeded)	7	0	0	2	2	0	5	
Small Grain (Fall Seeded)	0	0	0	0	0	0	0	
Soybeans (Full Season)	401	9	3	335	347	35	19	
Soybeans (Double-Cropped)	0	0	0	0	0	0	0	
Cotton	0	0	0	0	0	0	0	
Grain Sorghum	0	0	0	0	0	0	0	
Forage Crops	0	0	0	0	0	0	0	
Other Crops	2	0	0	1	1	0	1	
Total Points	924	13	3	545	561	213	150	

Perm. Pasture	26
Fallow	6
Forages	12
Conservation Reserve Program	38

Annual Crop	Total Points	Conservation Tillage (greater than 30% residue)			=	Total Conservation Tillage	Other Tillage Practices	
		No-Till	Ridge-Till	Mulch-Till			(15-30% residue) Reduce-Till	(0-15% residue) Intensive-Till
Corn	514	0.8%	0.0%	40.3%	41.1%	34.6%	24.3%	
Small Grain (Spring-Seeded)	7	0.0%	0.0%	28.6%	28.6%	0.0%	71.4%	
Small Grain (Fall Seeded)	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	
Soybeans (Full Season)	401	2.2%	0.7%	83.5%	86.5%	8.7%	4.7%	
Soybeans (Double-Cropped)	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	
Cotton	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	
Grain Sorghum	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	
Forage Crops	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	
Other Crops	2	0.0%	0.0%	50.0%	50.0%	0.0%	50.0%	
Total Points	924	1.4%	0.3%	59.0%	60.7%	23.1%	16.2%	

Perm. Pasture	26
Fallow	6
Forages	12
Conservation Reserve Program	38