

2007 Elk-Nokasippi Watershed Summary (10)

Annual Crop	Total Points	Conservation Tillage (greater than 30% residue)			=	Total Conservation Tillage	Other Tillage Practices	
		No-Till	Ridge-Till	Mulch-Till			(15-30% residue) Reduce-Till	(0-15% residue) Intensive-Till
Corn	101	4	0	16	20	36	45	
Small Grain (Spring-Seeded)	7	0	0	0	0	2	5	
Small Grain (Fall Seeded)	3	0	0	0	0	2	1	
Soybeans (Full Season)	22	1	0	1	2	5	15	
Soybeans (Double-Cropped)	0	0	0	0	0	0	0	
Cotton	0	0	0	0	0	0	0	
Grain Sorghum	0	0	0	0	0	0	0	
Forage Crops	0	0	0	0	0	0	0	
Other Crops	2	0	0	0	0	1	1	
Total Points	135	5	0	17	22	46	67	

Perm. Pasture	25
Fallow	3
Forages	69
Conservation Reserve Program	2

Annual Crop	Total Points	Conservation Tillage (greater than 30% residue)			=	Total Conservation Tillage	Other Tillage Practices	
		No-Till	Ridge-Till	Mulch-Till			(15-30% residue) Reduce-Till	(0-15% residue) Intensive-Till
Corn	101	4.0%	0.0%	15.8%	19.8%	35.6%	44.6%	
Small Grain (Spring-Seeded)	7	0.0%	0.0%	0.0%	0.0%	28.6%	71.4%	
Small Grain (Fall Seeded)	3	0.0%	0.0%	0.0%	0.0%	66.7%	33.3%	
Soybeans (Full Season)	22	4.5%	0.0%	4.5%	9.1%	22.7%	68.2%	
Soybeans (Double-Cropped)	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	
Cotton	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	
Grain Sorghum	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	
Forage Crops	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	
Other Crops	2	0.0%	0.0%	0.0%	0.0%	50.0%	50.0%	
Total Points	135	3.7%	0.0%	12.6%	16.3%	34.1%	49.6%	

Perm. Pasture	25
Fallow	3
Forages	69
Conservation Reserve Program	2