2007 Blue Earth River Watershed Summary (30)

		Conservation Tillage			Total	Other Tillage Practices	
	Total	(greater than 30% residue)		= Conservation	(15-30% residue)	(0-15% residue)	
Annual Crop	Points	No-Till	Ridge-Till	Mulch-Till	Tillage	Reduce-Till	Intensive-Till
Corn	543	1	1	71	73	271	199
Small Grain (Spring-Seeded)	2	0	0	1	1	1	0
Small Grain (Fall Seeded)	0	0	0	0	0	0	0
Soybeans (Full Season)	333	41	7	182	230	85	18
Soybeans (Double-Cropped)	0	0	0	0	0	0	0
Cotton	0	0	0	0	0	0	0
Grain Sorghum	0	0	0	0	0	0	0
Forage Crops	0	0	0	0	0	0	0
Other Crops	0	0	0	0	0	0	0
Total Points	878	42	8	254	304	357	217
Perm. Pasture	9						
Fallow	0						
Forages	8						

Conservation Reserve Program 17

	Γ	Conservation Tillage			Total	Other Tillage Practices	
	Total	(greater than 30% residue)			= Conservation	(15-30% residue)	(0-15% residue)
Annual Crop	Points	No-Till	Ridge-Till	Mulch-Till	Tillage	Reduce-Till	Intensive-Till
Corn	543	0.2%	0.2%	13.1%	13.4%	49.9%	36.6%
Small Grain (Spring-Seeded)	2	0.0%	0.0%	50.0%	50.0%	50.0%	0.0%
Small Grain (Fall Seeded)	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Soybeans (Full Season)	333	12.3%	2.1%	54.7%	69.1%	25.5%	5.4%
Soybeans (Double-Cropped)	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cotton	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Grain Sorghum	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Forage Crops	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Other Crops	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total Points	878	4.8%	0.9%	28.9%	34.6%	40.7%	24.7%

Perm. Pasture	9
Fallow	0
Forages	8
Conservation Reserve Program	17