2007 Shell Rock River Watershed Summary (49)

		Conservation Tillage			Total Other Tillage Practice		Practices
	Total	(greater than 30% residue)		= Conservation	(15-30% residue)	(0-15% residue)	
Annual Crop	Points	No-Till	Ridge-Till	Mulch-Till	Tillage	Reduce-Till	Intensive-Till
Corn	104	4	0	7	11	42	51
Small Grain (Spring-Seeded)	0	0	0	0	0	0	0
Small Grain (Fall Seeded)	0	0	0	0	0	0	0
Soybeans (Full Season)	70	27	0	17	44	21	5
Soybeans (Double-Cropped)	0	0	0	0	0	0	0
Cotton	0	0	0	0	0	0	0
Grain Sorghum	0	0	0	0	0	0	0
Forage Crops	0	0	0	0	0	0	0
Other Crops	1	0	0	0	0	1	0
Total Points	175	31	0	24	55	64	56
Perm. Pasture	2						
Fallow	0						
Forages	8						

		Conservation Tillage			Total	Other Tillage Practices	
	Total	(greater than 30% residue)		= Conservation	(15-30% residue)	(0-15% residue)	
Annual Crop	Points	No-Till	Ridge-Till	Mulch-Till	Tillage	Reduce-Till	Intensive-Till
Corn	104	3.8%	0.0%	6.7%	10.6%	40.4%	49.0%
Small Grain (Spring-Seeded)	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Small Grain (Fall Seeded)	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Soybeans (Full Season)	70	38.6%	0.0%	24.3%	62.9%	30.0%	7.1%
Soybeans (Double-Cropped)	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cotton	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Grain Sorghum	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Forage Crops	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Other Crops	1	0.0%	0.0%	0.0%	0.0%	100.0%	0.0%
Total Points	175	17.7%	0.0%	13.7%	31.4%	36.6%	32.0%

Perm. Pasture		
Fallow		
Forages		

Conservation Reserve Program

2

9

Conservation Reserve Program