

2007 Winnebago River Watershed Summary (50)

Annual Crop	Total Points	Conservation Tillage (greater than 30% residue)			=	Total Conservation Tillage	Other Tillage Practices	
		No-Till	Ridge-Till	Mulch-Till			(15-30% residue) Reduce-Till	(0-15% residue) Intensive-Till
Corn	32	2	0	1	3	13	16	
Small Grain (Spring-Seeded)	1	0	0	0	0	1	0	
Small Grain (Fall Seeded)	0	0	0	0	0	0	0	
Soybeans (Full Season)	28	4	0	10	14	11	3	
Soybeans (Double-Cropped)	0	0	0	0	0	0	0	
Cotton	0	0	0	0	0	0	0	
Grain Sorghum	0	0	0	0	0	0	0	
Forage Crops	0	0	0	0	0	0	0	
Other Crops	0	0	0	0	0	0	0	
Total Points	61	6	0	11	17	25	19	

Perm. Pasture	2
Fallow	0
Forages	1
Conservation Reserve Program	0

Annual Crop	Total Points	Conservation Tillage (greater than 30% residue)			=	Total Conservation Tillage	Other Tillage Practices	
		No-Till	Ridge-Till	Mulch-Till			(15-30% residue) Reduce-Till	(0-15% residue) Intensive-Till
Corn	32	6.3%	0.0%	3.1%	9.4%	40.6%	50.0%	
Small Grain (Spring-Seeded)	1	0.0%	0.0%	0.0%	0.0%	100.0%	0.0%	
Small Grain (Fall Seeded)	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	
Soybeans (Full Season)	28	14.3%	0.0%	35.7%	50.0%	39.3%	10.7%	
Soybeans (Double-Cropped)	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	
Cotton	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	
Grain Sorghum	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	
Forage Crops	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	
Other Crops	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	
Total Points	61	9.8%	0.0%	18.0%	27.9%	41.0%	31.1%	

Perm. Pasture	2
Fallow	0
Forages	1
Conservation Reserve Program	0