## 2007 Ottertail River Watershed Summary (56)

		Conservation Tillage		Total	Other Tillage Practices		
	Total	(greater than 30% residue)		= Conservation	(15-30% residue)	(0-15% residue)	
Annual Crop	Points	No-Till	Ridge-Till	Mulch-Till	Tillage	Reduce-Till	Intensive-Till
Corn	152	3	0	16	19	46	87
Small Grain (Spring-Seeded)	78	0	0	3	3	26	49
Small Grain (Fall Seeded)	0	0	0	0	0	0	0
Soybeans (Full Season)	127	6	0	28	34	46	47
Soybeans (Double-Cropped)	0	0	0	0	0	0	0
Cotton	0	0	0	0	0	0	0
Grain Sorghum	0	0	0	0	0	0	0
Forage Crops	0	0	0	0	0	0	0
Other Crops	36	0	0	3	3	4	29
Total Points	393	9	0	50	59	122	212
Perm. Pasture	44						
Fallow	5						
Forages	70						

Conservation Reserve Program

60

	Г	Conservation Tillage			Total	Other Tillage Practices	
	Total	(greater than 30% residue)			= Conservation	(15-30% residue)	(0-15% residue)
Annual Crop	Points	No-Till	Ridge-Till	Mulch-Till	Tillage	Reduce-Till	Intensive-Till
Corn	152	2.0%	0.0%	10.5%	12.5%	30.3%	57.2%
Small Grain (Spring-Seeded)	78	0.0%	0.0%	3.8%	3.8%	33.3%	62.8%
Small Grain (Fall Seeded)	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Soybeans (Full Season)	127	4.7%	0.0%	22.0%	26.8%	36.2%	37.0%
Soybeans (Double-Cropped)	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cotton	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Grain Sorghum	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Forage Crops	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Other Crops	36	0.0%	0.0%	8.3%	8.3%	11.1%	80.6%
Total Points	393	2.3%	0.0%	12.7%	15.0%	31.0%	53.9%

Perm. Pasture	44
Fallow	5
Forages	70
Conservation Reserve Program	60