2007 Elm Marsh Watershed Summary (59)

		Conservation Tillage			Total	Total Other Tillage Practices	
	Total	(greater than 30% residue)		= Conservation	(15-30% residue)	(0-15% residue)	
Annual Crop	Points	No-Till	Ridge-Till	Mulch-Till	Tillage	Reduce-Till	Intensive-Till
Corn	27	0	0	2	2	10	15
Small Grain (Spring-Seeded)	52	0	0	0	0	15	37
Small Grain (Fall Seeded)	0	0	0	0	0	0	0
Soybeans (Full Season)	61	0	0	8	8	34	19
Soybeans (Double-Cropped)	0	0	0	0	0	0	0
Cotton	0	0	0	0	0	0	0
Grain Sorghum	0	0	0	0	0	0	0
Forage Crops	0	0	0	0	0	0	0
Other Crops	17	0	0	3	3	5	9
Total Points	157	0	0	13	13	64	80
Perm. Pasture	3						
Fallow	1						
Forages	1						

	Γ	Conservation Tillage			Total	Other Tillage Practices	
	Total	(greater than 30% residue)			= Conservation	(15-30% residue)	(0-15% residue)
Annual Crop	Points	No-Till	Ridge-Till	Mulch-Till	Tillage	Reduce-Till	Intensive-Till
Corn	27	0.0%	0.0%	7.4%	7.4%	37.0%	55.6%
Small Grain (Spring-Seeded)	52	0.0%	0.0%	0.0%	0.0%	28.8%	71.2%
Small Grain (Fall Seeded)	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Soybeans (Full Season)	61	0.0%	0.0%	13.1%	13.1%	55.7%	31.1%
Soybeans (Double-Cropped)	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cotton	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Grain Sorghum	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Forage Crops	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Other Crops	17	0.0%	0.0%	17.6%	17.6%	29.4%	52.9%
Total Points	157	0.0%	0.0%	8.3%	8.3%	40.8%	51.0%

Perm. Pasture	3
Fallow	1
Forages	1
Conservation Reserve Program	9

Conservation Reserve Program