2007 Eastern Wild Rice Watershed Summary (60)

		Conservation Tillage			Total	Other Tillage Practices	
	Total	(greater than 30% residue)			= Conservation	(15-30% residue)	(0-15% residue)
Annual Crop	Points	No-Till	Ridge-Till	Mulch-Till	Tillage	Reduce-Till	Intensive-Till
Corn	188	0	1	6	7	42	139
Small Grain (Spring-Seeded)	169	0	0	1	1	41	127
Small Grain (Fall Seeded)	3	0	0	0	0	1	2
Soybeans (Full Season)	319	22	1	38	61	90	168
Soybeans (Double-Cropped)	0	0	0	0	0	0	0
Cotton	0	0	0	0	0	0	0
Grain Sorghum	0	0	0	0	0	0	0
Forage Crops	0	0	0	0	0	0	0
Other Crops	46	2	0	3	5	22	19
Total Points	725	24	2	48	74	196	455
Perm. Pasture	33						
Fallow	1						
Forages	20						
Conservation Reserve Program	97						

		Conservation Tillage			Total	Other Tillage Practices	
	Total	(greater than 30% residue)		= Conservation	(15-30% residue)	(0-15% residue)	
Annual Crop	Points	No-Till	Ridge-Till	Mulch-Till	Tillage	Reduce-Till	Intensive-Till
Corn	188	0.0%	0.5%	3.2%	3.7%	22.3%	73.9%
Small Grain (Spring-Seeded)	169	0.0%	0.0%	0.6%	0.6%	24.3%	75.1%
Small Grain (Fall Seeded)	3	0.0%	0.0%	0.0%	0.0%	33.3%	66.7%
Soybeans (Full Season)	319	6.9%	0.3%	11.9%	19.1%	28.2%	52.7%
Soybeans (Double-Cropped)	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cotton	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Grain Sorghum	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Forage Crops	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Other Crops	46	4.3%	0.0%	6.5%	10.9%	47.8%	41.3%
Total Points	725	3.3%	0.3%	6.6%	10.2%	27.0%	62.8%

Perm. Pasture	33
Fallow	1
Forages	20
Conservation Reserve Program	97