2007 Upper Big Sioux Watershed Summary (81)

		Conservation Tillage			Total	Other Tillage Practices	
	Total	(greater than 30% residue)			= Conservation	Conservation (15-30% residue) (0-15% residue)	
Annual Crop	Points	No-Till	Ridge-Till	Mulch-Till	Tillage	Reduce-Till	Intensive-Till
Corn	14	0	0	6	6	4	4
Small Grain (Spring-Seeded)	1	0	0	1	1	0	0
Small Grain (Fall Seeded)	0	0	0	0	0	0	0
Soybeans (Full Season)	5	1	0	4	5	0	0
Soybeans (Double-Cropped)	0	0	0	0	0	0	0
Cotton	0	0	0	0	0	0	0
Grain Sorghum	0	0	0	0	0	0	0
Forage Crops	0	0	0	0	0	0	0
Other Crops	0	0	0	0	0	0	0
Total Points	20	1	0	11	12	4	4
Perm. Pasture	7						
Fallow	0						
Forages	0						

		Conservation Tillage			Total	Other Tillage Practices	
	Total	(greater than 30% residue)			= Conservation	(15-30% residue)	(0-15% residue)
Annual Crop	Points	No-Till	Ridge-Till	Mulch-Till	Tillage	Reduce-Till	Intensive-Till
Corn	14	0.0%	0.0%	42.9%	42.9%	28.6%	28.6%
Small Grain (Spring-Seeded)	1	0.0%	0.0%	100.0%	100.0%	0.0%	0.0%
Small Grain (Fall Seeded)	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Soybeans (Full Season)	5	20.0%	0.0%	80.0%	100.0%	0.0%	0.0%
Soybeans (Double-Cropped)	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cotton	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Grain Sorghum	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Forage Crops	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Other Crops	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total Points	20	5.0%	0.0%	55.0%	60.0%	20.0%	20.0%

Perm. Pasture	7
Fallow	0
Forages	0
Conservation Reserve Program	0

Conservation Reserve Program

0